

## Fragrance Cinnamon & Cedarwood 00014304

Lemo Fun SRL



### Section 1. Identification of the substance or the mixture and of the supplier

Issue date: 11/01/2024

Version: 2 (11/01/2024)

In accordance with REACH Regulation EC No. 1907/2006

| Field                           | Detail                                                                                                                                                            |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product identifier              | Fragrance Cinnamon & Cedarwood 00014304 (Contains: 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Cinnamaldehyde, Eugenol, Isoeugenol) |
| Product code                    | 00014304                                                                                                                                                          |
| Unique Formula Identifier (UFI) | R2M8-31NV-1007-0FJ3                                                                                                                                               |
| Other identifiers               | None                                                                                                                                                              |
| 1.2 Relevant identified uses    | Fragrances                                                                                                                                                        |
| 1.3 Supplier name               | Lemo Fun SRL                                                                                                                                                      |
| Supplier address                | Nicolae Licaret 6, Bucharest, Romania                                                                                                                             |
| Phone                           | +40784943113                                                                                                                                                      |
| E-Mail                          | info@shoplumanari.ro                                                                                                                                              |
| Website                         | www.shoplumanari.ro                                                                                                                                               |
| 1.4 Emergency telephone number  | +31 85 888 1003                                                                                                                                                   |

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger:

Skin Corrosion / Irritation Category 2

Eye Damage / Irritation Category 2

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Signal word: Warning

Hazard statements:

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

Supplemental Information:

EUH208, Contains 2-Methylundecanal, Coumarin, Lauric aldehyde, [1.alpha.(E),2.beta.]-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one, [3R-(3a,3a,6ab,7b,8aa)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene, alpha-Methylcinnamaldehyde, alpha-Pinene, beta-Caryophyllene. May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms: ghs07-harmful-irritant.png, ghs09-environment.png

### 2.3 Other hazards

Sensitisers declared on a CLP Hazard Label:

2-Methylundecanal, Coumarin, Lauric aldehyde, [1.alpha.(E),2.beta.]-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one, [3R-(3a,3a,6ab,7b,8aa)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene, alpha-Methylcinnamaldehyde, alpha-Pinene, beta-Caryophyllene

Hydrocarbon Concentration %: 0.0000%

## Section 3. Composition / information on ingredients

### 3.2 Mixtures

Contains:

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%: Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%: Not Applicable

| Name                                                                     | %       | CAS        | EC        | REACH<br>Registration No. | Classification<br>(CLP) 1272/2008                                      | Specific Conc.<br>Limits, M-factors<br>and ATEs |
|--------------------------------------------------------------------------|---------|------------|-----------|---------------------------|------------------------------------------------------------------------|-------------------------------------------------|
| Eugenol                                                                  | 10-<20% | 97-53-0    | 202-589-1 |                           | Eye Irrit. 2-Skin<br>Sens. 1B;<br>H317-H319                            | oral: ATE = 2500<br>mg/kg bw                    |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone | 5-<10%  | 54464-57-2 | 259-174-3 |                           | Skin Irrit. 2-Skin<br>Sens. 1B-Aquatic<br>Chronic 1;<br>H315-H317-H410 |                                                 |

| Name                                                                                     | %       | CAS        | EC        | REACH<br>Registration No. | Classification<br>(CLP) 1272/2008                                                                                                 | Specific Conc.<br>Limits, M-factors<br>and ATEs                                                   |
|------------------------------------------------------------------------------------------|---------|------------|-----------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| Cinnamaldehyde                                                                           | 1-<5%   | 104-55-2   | 203-213-9 |                           | Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1A; H 312-H315-H317-H319                                                       | dermal: ATE = 1100 mg/kg bw-oral: ATE = 2500 mg/kg bw                                             |
| alpha-Methylcinnam aldehyde                                                              | 1-<5%   | 101-39-3   | 202-938-8 |                           | Skin Sens. 1B; H317                                                                                                               | oral: ATE = 2050 mg/kg bw                                                                         |
| Isoeugenol                                                                               | 1-<5%   | 97-54-1    | 202-590-7 |                           | Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1A-STOT SE 3; H302-H312-H315-H317-H319-H332-H335                  | inhalation: ATE = 1.5 mg/l (dusts or mists)-dermal: ATE = 1912 mg/kg bw-oral: ATE = 1500 mg/kg bw |
| Phenethyl alcohol                                                                        | 1-<5%   | 60-12-8    | 200-456-2 |                           | Acute Tox. 4-Eye Irrit. 2; H302-H319                                                                                              | dermal: ATE = 2500 mg/kg bw-oral: ATE = 1610 mg/kg bw                                             |
| beta-Ionone                                                                              | 1-<5%   | 14901-07-6 | 238-969-9 |                           | Aquatic Chronic 2; H411                                                                                                           |                                                                                                   |
| beta-Caryophyllene                                                                       | 0.1-<1% | 87-44-5    | 201-746-1 |                           | Skin Sens. 1B-Asp. Tox 1-Aquatic Chronic 4; H304-H317-H413                                                                        |                                                                                                   |
| [3R-(3a,3a,6ab,7b,8aa)]-octahydro-6-methoxy-3,6,8,8-tetra methyl-1H-3a,7-met hanoazulene | 0.1-<1% | 67874-81-1 |           |                           | Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1; H317-H410                                                                        | M = 1                                                                                             |
| 2-Methylundecanal                                                                        | 0.1-<1% | 110-41-8   | 203-765-0 |                           | Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1; H315-H317-H410                                                     | M = 1                                                                                             |
| Coumarin                                                                                 | 0.1-<1% | 91-64-5    | 202-086-7 |                           | Acute Tox. 4-Skin Sens. 1B; H302-H317                                                                                             | oral: ATE = 500 mg/kg bw                                                                          |
| alpha-Pinene                                                                             | 0.1-<1% | 80-56-8    | 201-291-9 |                           | Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H226-H302-H304-H315-H317-H410 | M = 1-oral: ATE = 500 mg/kg bw                                                                    |
| Lauric aldehyde                                                                          | 0.1-<1% | 112-54-9   | 203-983-6 |                           | Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B; H315-H317-H319                                                                          |                                                                                                   |
| [1.alpha.(E),2.beta.] -1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one               | 0.1-<1% | 71048-82-3 | 275-156-8 |                           | Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A-Aquatic Acute 1-Aquatic Chronic 1; H302-H315-H317-H410                                   | oral: ATE = 1400 mg/kg bw                                                                         |

| Name                                | %       | CAS        | EC        | REACH<br>Registration No. | Classification<br>(CLP) 1272/2008 | Specific Conc.<br>Limits, M-factors<br>and ATEs |
|-------------------------------------|---------|------------|-----------|---------------------------|-----------------------------------|-------------------------------------------------|
| Dipropylene glycol monomethyl ether | 50-100% | 34590-94-8 | 252-104-2 |                           | -                                 | -                                               |

## Section 4. First-aid measures

### 4.1 Description of first aid measures

Inhalation:

Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin exposure:

IF ON SKIN: Wash with plenty of soap and water.

Ingestion:

Rinse mouth with water and obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

### **Section 5. Firefighting measures**

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters

In case of insufficient ventilation, wear suitable respiratory equipment.

### **Section 6. Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections

Also refer to sections 8 and 13.

### **Section 7. Handling and storage**

#### 7.1 Precautions for safe handling

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s)

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

### **Section 8. Exposure controls / personal protection**

#### 8.1 Control parameters

Workplace exposure limits:

| Ingredient                          | CAS        | EC        | Description                        | Value                 |
|-------------------------------------|------------|-----------|------------------------------------|-----------------------|
| Dipropylene glycol monomethyl ether | 34590-94-8 | 252-104-2 | UK WEL Long term ppm               | 50 ppm                |
| Dipropylene glycol monomethyl ether | 34590-94-8 | 252-104-2 | UK WEL Long term mg/m <sup>3</sup> | 308 mg/m <sup>3</sup> |

### **Section 8 (continued). Exposure controls**

#### 8.2 Exposure Controls

##### Eye / Skin Protection

Wear protective gloves/eye protection/face protection.

##### Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures:

- Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.
- Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters.
- Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.
- Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### **Section 9. Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical State/Colour: Not determined

Odour: Not determined

Odour threshold: Not determined

Melting point / freezing point: Not determined

Boiling point or initial boiling point and boiling range: Not determined

Flammability: Not determined

Lower and upper explosion limit: Not determined

Flash point: > 80 °C

Auto-ignition temperature: Not determined

Decomposition temperature: Not determined

pH: Not relevant

Kinematic viscosity: Not determined

Solubility: Not determined

Partition coefficient: n-octanol/water (log value): Not determined

Vapour pressure: Not determined

Density and/or relative density: Not determined

Relative vapour density: Not determined

Particle characteristics: Not determined

## 9.2 Other information

None available

**Section 10. Stability and reactivity**

## 10.1 Reactivity

Presents no significant reactivity hazard, by itself or in contact with water.

## 10.2 Chemical stability

Good stability under normal storage conditions.

## 10.3 Possibility of hazardous reactions

Not expected under normal conditions of use.

## 10.4 Conditions to avoid

Avoid extreme heat.

## 10.5 Incompatible materials

Avoid contact with strong acids, alkalis or oxidising agents.

## 10.6 Hazardous decomposition products

Not expected.

**Section 11. Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral: >5000

Acute Toxicity Dermal: >5000

Acute Toxicity Inhalation: Not Available

Skin corrosion/irritation: Skin Corrosion / Irritation Category 2

Serious eye damage/irritation: Eye Damage / Irritation Category 2

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity: Based on available data the classification criteria are not met.

Carcinogenicity: Based on available data the classification criteria are not met.

Reproductive toxicity: Based on available data the classification criteria are not met.

STOT-single exposure: Based on available data the classification criteria are not met.

STOT-repeated exposure: Based on available data the classification criteria are not met.

Aspiration hazard: Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture:

Refer to Sections 2 and 3 for additional information.

## 11.2 Information on other hazards

Not Applicable

| Ingredient        | CAS     | EC        | LD50/ATE Oral (mg/kg) | LD50/ATE Dermal (mg/kg) | LC50/ATE Inhalation | Route          |
|-------------------|---------|-----------|-----------------------|-------------------------|---------------------|----------------|
| Isoeugenol        | 97-54-1 | 202-590-7 | Not available         | 1912                    | Not available       | Dust/mist mg/l |
| Phenethyl alcohol | 60-12-8 | 200-456-2 | 1610                  | 2500                    | Not available       | Not available  |

**Section 12. Ecological information**

**12.1 Toxicity**

Toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability**

Not available

**12.3 Bioaccumulative potential**

Not available

**12.4 Mobility in soil**

Not available

**12.5 Results of PBT and vPvB assessment**

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Endocrine disrupting properties**

Not Applicable

**12.7 Other adverse effects**

Not available

**Section 13. Disposal considerations****13.1 Waste treatment methods**

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**Section 14. Transport information****14.5 Environmental hazards:**

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

**14.6 Special precautions for user:**

None additional

**14.7 Maritime transport in bulk according to IMO instruments:**

Not applicable

| Regulation           | UN Number | UN Proper Shipping Name                                                                                                                                               | Transport Hazard Class(es) | Sub Risk | Packing Group |
|----------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------|---------------|
| UN Model Regulations | UN3082    | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 2-Methylundecanal)                     | 9                          | -        | III           |
| IMDG                 | UN3082    | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 2-Methylundecanal)<br>MARINE POLLUTANT | 9                          | -        | III           |
| ADR, RID, ADN        | UN3082    | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 2-Methylundecanal)                     | 9                          | -        | III           |

| Regulation | UN Number | UN Proper Shipping Name                                                                                                                           | Transport Hazard Class(es) | Sub Risk | Packing Group |
|------------|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------|---------------|
| ICAO TI    | UN3082    | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 2-Methylundecanal) | 9                          | -        | III           |

### Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

### Section 16. Other information

Concentration % Limits:

SCI 2=84.27% EDI 2=52.57% SS 1=2.48% EH C2=35.97% EH C3=3.60%

Total Fractional Values:

SCI 2=1.19 EDI 2=1.90 SS 1=40.30 EH C2=2.78 EH C3=27.80

Key to revisions:

Concentration % Limits

Endocrine Disruptor Ingredient Details

Information about hazardous ingredients in the mixture

SECTION 3: Composition/information on ingredients

Total Fractional Values

| Abbreviation      | Meaning                                                            |
|-------------------|--------------------------------------------------------------------|
| Acute Tox. 4      | Acute Toxicity - Dermal Category 4                                 |
| Acute Tox. 4      | Acute Toxicity - Oral Category 4                                   |
| Acute Tox. 4      | Acute Toxicity - Inhalation Category 4                             |
| Aquatic Acute 1   | Hazardous to the Aquatic Environment - Acute Hazard Category 1     |
| Aquatic Chronic 1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 |
| Aquatic Chronic 2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2 |
| Aquatic Chronic 4 | Hazardous to the Aquatic Environment - Long-term Hazard Category 4 |
| Asp. Tox 1        | Aspiration Hazard Category 1                                       |
| Eye Irrit. 2      | Eye Damage / Irritation Category 2                                 |
| Flam. Liq. 3      | Flammable Liquid, Hazard Category 3                                |
| STOT SE 3         | Specific Target Organ Toxicity (Single Exposure) Category 3        |
| Skin Irrit. 2     | Skin Corrosion / Irritation Category 2                             |
| Skin Sens. 1A     | Sensitization - Skin Category 1A                                   |
| Skin Sens. 1B     | Sensitization - Skin Category 1B                                   |

| Code | Full text                                     |
|------|-----------------------------------------------|
| H226 | Flammable liquid and vapour.                  |
| H302 | Harmful if swallowed.                         |
| H304 | May be fatal if swallowed and enters airways. |
| H312 | Harmful in contact with skin.                 |
| H315 | Causes skin irritation.                       |
| H317 | May cause an allergic skin reaction.          |
| H319 | Causes serious eye irritation.                |

| Code         | Full text                                                                                                                        |
|--------------|----------------------------------------------------------------------------------------------------------------------------------|
| H332         | Harmful if inhaled.                                                                                                              |
| H335         | May cause respiratory irritation.                                                                                                |
| H410         | Very toxic to aquatic life with long lasting effects.                                                                            |
| H411         | Toxic to aquatic life with long lasting effects.                                                                                 |
| H413         | May cause long lasting harmful effects to aquatic life.                                                                          |
| P210         | Keep away from heat, sparks, open flames and hot surfaces. - No smoking.                                                         |
| P233         | Keep container tightly closed.                                                                                                   |
| P240         | Ground/bond container and receiving equipment.                                                                                   |
| P241         | Use explosion-proof electrical, ventilating and lighting equipment.                                                              |
| P242         | Use only non-sparking tools.                                                                                                     |
| P243         | Take precautionary measures against static discharge.                                                                            |
| P261         | Avoid breathing vapour or dust.                                                                                                  |
| P264         | Wash hands and other contacted skin thoroughly after handling.                                                                   |
| P270         | Do not eat, drink or smoke when using this product.                                                                              |
| P271         | Use only outdoors or in a well-ventilated area.                                                                                  |
| P272         | Contaminated work clothing should not be allowed out of the workplace.                                                           |
| P273         | Avoid release to the environment.                                                                                                |
| P280         | Wear protective gloves/eye protection/face protection.                                                                           |
| P301/310     | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.                                                              |
| P301/312     | IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.                                                       |
| P302/352     | IF ON SKIN: Wash with plenty of soap and water.                                                                                  |
| P303/361/353 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.                       |
| P304/340     | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.                                 |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P312         | Call a POISON CENTRE or doctor/physician if you feel unwell.                                                                     |
| P330         | Rinse mouth.                                                                                                                     |
| P331         | Do not induce vomiting.                                                                                                          |
| P333/313     | If skin irritation or rash occurs: Get medical advice/attention.                                                                 |
| P337/313     | If eye irritation persists: Get medical advice/attention.                                                                        |
| P362         | Take off contaminated clothing and wash before reuse.                                                                            |
| P363         | Wash contaminated clothing before reuse.                                                                                         |
| P370/378     | In case of fire: Use carbon dioxide, dry chemical, foam for extinction.                                                          |
| P391         | Collect spillage.                                                                                                                |
| P403/233     | Store in a well-ventilated place. Keep container tightly closed.                                                                 |
| P403/235     | Store in a well-ventilated place. Keep cool.                                                                                     |
| P405         | Store locked up.                                                                                                                 |
| P501         | Dispose of contents/container to approved disposal site, in accordance with local regulations.                                   |